AUTHOR INDEX

Akhtar, D., L5
Allaverdova, N. V., 59
Andruszkiewicz, R., 87
Angenault, J., 71
Atherton, M. D., 63

Baerlocher, Ch., 113
Baskaran, R., 215
Bazela, W., 123
Berlureau, T., 235
Billy, M., 349, 361
Bouzouita, K., 349
Braschkin, V. V., 39
Brebec, G., 337
Buschow, K. H. J., L11
Byrappa, K., 1

Cadogan, J. M., 235
Che, G. C., 137
Chełkowski, A., 129, L15
Chen, G. H., 137
Chen, W., 137
Chevalier, B., 235
Coey, J. M. D., 235
Couturier, J.-C., 71

Daher, H., 241
Desai, N. B., 1
Desmaison, J., 349
Dommann, A., 113
Drożdżyński, J., 271

Elschner, B., L21
Etournea, J., 235

Ferro, D., 205
Ferro, R., 189
Feschotte, P., 155
Fiorani, P., 205
Fitzner, K., 289
Flahaut, J., 241
Franzen, H. F., L29
Fromageau, R., 323, 337
Fukai, Y., 161

Garba, E. J. D., 195
Gillard, P., 179
González Tejuca, L., 47
Gopalakrishna, G. S., 1

Harbrecht, B., 225
Heimann, J., 129, L15
Helmholdt, R. B., L11
Hillairet, J., 323
Hofmann, W. K., 313
Horyń, R., 87
Hulliger, F., 113

Jacobs, R. L., 195
Jeitschko, W., 313

Kaibe, H., 303
Kemmler-Sack, S., L21, L25
Kesić-Racan, M., L1
Khadirian, R. D., 361
Khanafer, M., 241
Kiemel, R., L21, L25
Kim, S.-J., L29
Kremenić, G., 47
Kucherenko, L. A., 59
Kulkarni, A. B., 1

Lalauze, R., 179
Liang, J. K., 137
López Nieto, J. M., 47

Magnouche, A., 323, 337
Maier-Rosenkranz, J., L25
Marazza, R., 189
Mary, Y., 71
Matković, P., L1
Matković, T., L1
Misawa, T., 143
Müller-Buschbaum, Hk., 79

Nakagawa, M., 95
Nardou, F., 361
Natarajan, S., 215
Nemoto, T., 303
Ni, Y. M., 137
Nishida, I., 303

Ogawa, T., 143
Ohnishi, K., 143
Ollitrault-Fichet, R., 241

Paljević, M., 107
Patterson, J. D., 281
Piacente, V., 205
Pijolat, C., 179
Popova, S. V., 39

Quarton, M., 71

Radak, A., L21
Radhakrishnan, T. S., 215
Richards, P. M., 281
Rivet, J., 241
Rohweder, U., 79
Rossi, D., 189
Rudometkina, M. V., 263

Saito, Y., 161
Sakata, M., 303
Sato, T., 303
Scardala, P., 205
Schäfer, W., L21, L25
Schvyryaeva, E. E., 263
Seropegin, Yu. D., 263
Spitz, E.-L., 155
Subba Rao, G. V., 215
Sutcliffe, H., 63
Szade, J., 129
Szytula, A., 123

Talik, E., 129, L15
Tascón, J. M. D., 47

Venugopal Reddy, P., L5
Vleggaar, J. J. M., L11

Wang, X.-Z., 235
Winiarska, A., 129
Wischert, W., L21
Wohlleben, D., 11
Wypartowicz, J., 289

Yang, Q. S., 137
Yasuda, K., 95

Zhang, K.-H., 7, 173
Zhao, H.-Z., 7, 173
Zhou, Y.-H., 7, 173

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Aluminium
high-temperature oxidation of ZrAl, 107
iron-rich pseudobinary alloys with the $ThMn_{12}$ structure obtained by melt spinning: $Gd(Fe_nAl_{12-n})$, $n = 6, 8, 10$, 235
resistance to oxidation of NiAl alloys at high temperature, 59
Alloys
cadmium activity in the indium-rich region of the Cd–In alloy system measured by vapour pressure measurements, 205
investigation of the Zr–V–Ge system alloys, 263
iron-rich pseudobinary alloys with the $ThMn_{12}$ structure obtained by melt spinning: $Gd(Fe_nAl_{12-n})$, $n = 6, 8, 10$, 235
manufacture and hydriding characteristics of unidirectionally solidified $LaNi_5$–Ni eutectic alloys with disintegration resistance, 143
resistence to oxidation of NiAl alloys at high temperature, 59
ternary rare earth alloys: RAuPb compounds, 189
Amorphous alloys
diffusion characteristics of hydrogen in amorphous $Pd_{80}Si_{20}$. Part II, 337
dissolution characteristics and occupancy sites of hydrogen in amorphous PdSi alloys. Part I, 323
formation, structure and thermal stability of the amorphous alloy $Cu_{0.85}Sn_{0.15}$ obtained by high pressure treatment, 39
transport properties of some transition-metal-based amorphous alloys, L5
Arsenic
activity of oxygen in dilute solutions of arsenic in liquid gallium, 289

Barium
influence of the preparation technique on the properties of the high T_c superconductor $YBa_2Cu_3O_{7-y}$, L21
intermediate oxidation state of copper in high-temperature superconductors of the type $Y_{1-x}A_xBa_2Cu_3O_{7-z}$, L25
phase diagram of the $BaO–CuO–Y_2O_3$ system and the relationship between composition and superconductivity, 137

Cadmium
cadmium activity in the indium-rich region of the Cd–In alloy system measured by vapour pressure measurements, 205
Catalytic oxidation
isobutene oxidation on an Mo–Pr–Bi–O/SiO_2 catalyst, 47
Chromium
new $ThCr_2Si_2$-type representatives, $LnCr_2Si_2$ (Ln = Sm, Tb–Lu), 113
Cobalt
X-ray examination, electrical and magnetic properties of R_3Co single crystals (R = Y, Gd, Dy and Ho), 129
Copper
coherent phase diagram of the Au_x-$(Ag_{0.24}Cu_{0.76})_{1-x}$ section of the Au–Cu–Ag ternary system, 95
formation, structure and thermal stability of the amorphous alloy $Cu_{0.85}Sn_{0.15}$ obtained by high pressure treatment, 39
influence of the preparation technique on the properties of the high T_c superconductor $YBa_2Cu_3O_{7-y}$, L21
intermediate oxidation state of copper in high-temperature superconductors of the type $Y_{1-x}A_xBa_2Cu_3O_{7-z}$, L25
investigation of the Ag–Cu–Zr ternary system, 7
phase diagram of the $BaO–CuO–Y_2O_3$ system and the relationship between composition and superconductivity, 137
phase transition in $Cu_{2-x}Se$, 195

© Elsevier Sequoia/Printed in The Netherlands

Crystal structure
crystal structure and magnetic properties of RE_2In compounds, 123
synthesis and crystal structure of $Mn_4Nb_2O_9$ and $Mn_2Zn_2Nb_2O_9$, 79

Fluorides
crystal chemistry of MoF_4 and $LnMoF_7$ (Ln = lanthanide), 71

Gadolinium
iron-rich pseudobinary alloys with the $ThMn_{12}$ structure obtained by melt spinning: $Gd(Fe_nAl_{12-n})$, n =6, 8, 10, 235
Gallium
activity of oxygen in dilute solutions of arsenic in liquid gallium, 289
phase equilibria in the Mo-Ga-S system at 1073 K, 87
Germanium
composition and physical properties of the most germanium-rich germanide of manganese, 303
investigation of the Zr–V–Ge system alloys, 263
Gold
coherent phase diagram of the Au_x-$(Ag_{0.24}Cu_{0.76})_{1-x}$ section of the Au–Cu–Ag ternary system, 95
description of the ternary system Ag–Sn–Se, 241
investigation of the Ag–Cu–Zr ternary system, 7
ternary rare earth alloys: RAuPb compounds, 189

Hydrogen
diffusion characteristics of hydrogen in amorphous $Pd_{80}Si_{20}$. Part II, 337
dissolution characteristics and occupancy sites of hydrogen in amorphous PdSi alloys. Part I, 323
effects of substitutional impurities (Fe, Cr, Ti, Mo, Nb, Zr) on the phase diagram of the V–H system, 161
influence of surface impurities on hydrogen permeation through palladium, 179
manufacture and hydriding characteristics of unidirectionally solidified $LaNi_5$–Ni eutectic alloys with disintegration resistance, 143
temperature of hydrogen site occupancy in rare earth dihydrides, 281

Impedance
impedance measurements for some Nasicon analogues, 1
Indium
cadmium activity in the indium-rich region of the Cd–In alloy system measured by vapour pressure measurements, 205
crystal structure and magnetic properties of RE_2In compounds, 123
X-ray, electrical, magnetic and pressure experiments on RIn (R = Y, Gd, Tb, Dy, Ho and Er), L15
Iron
note on the crystallographic and magnetic structure of $YFe_{10}V_2$, L11
iron-rich pseudobinary alloys with the $ThMn_{12}$ structure obtained by melt spinning: $Gd(Fe_nAl_{12-n})$, n = 6, 8, 10, 235
Isobutene
isobutene oxidation on an Mo–Pr–Bi–O/SiO_2 catalyst, 47

Laves phases
stability and existence domains of Laves phase Ag_2Na, 155
Lanthanides
crystal chemistry of MoF_4 and $LnMoF_7$ (Ln = lanthanide), 71
new $ThCr_2Si_2$-type representatives, $LnCr_2Si_2$ (Ln = Sm, Tb–Lu), 113
Lanthanum
manufacture and hydriding characteristics of unidirectionally solidified $LaNi_5$–Ni eutectic alloys with disintegration resistance, 143
Lead
ternary rare earth alloys: RAuPb compounds, 189

Manganese
composition and physical properties of the most germanium-rich germanide of manganese, 303
synthesis and crystal structure of $Mn_4Nb_2O_9$ and $Mn_2Zn_2Nb_2O_9$, 79
Melt spinning
iron-rich pseudobinary alloys with the $ThMn_{12}$ structure obtained by melt spinning: $Gd(Fe_nAl_{12-n})$, n = 6, 8, 10, 235

Molybdenum
crystal chemistry of MoF_4 and $LnMoF_7$ (Ln = lanthanide), 71
phase equilibria in the Mo–Ga–S system at 1073 K, 87

Nasicon
impedance measurements for some Nasicon analogues, 1
Nickel
manufacture and hydriding characteristics of unidirectionally solidified $LaNi_5$–Ni eutectic alloys with disintegration resistance, 143
resistance to oxidation of NiAl alloys at high temperature, 59
Niobium
synthesis and crystal structure of $Mn_4Nb_2O_9$ and $Mn_2Zn_2Nb_2O_9$, 79

Oxidation
high-temperature oxidation of ZrAl, 107
influence of the growth constraints on the kinetics of oxidation of zirconium by water–hydrogen gas mixtures, 361
isobutene oxidation on an Mo–Pr–Bi–O/SiO_2 catalyst, 47
oxidation of tantalum nitride by Co_2 II: powder samples, 349
resistance to oxidation of NiAl alloys at high temperature, 59
Oxygen
activity of oxygen in dilute solutions of arsenic in liquid gallium, 289

Palladium
diffusion characteristics of hydrogen in amorphous $Pd_{80}Si_{20}$. Part II., 337
dissolution characteristics and occupancy sites of hydrogen in amorphous PdSi alloys. Part I, 323
influence of surface impurities on hydrogen permeation through palladium, 179
Parkerite phases
synthesis and electrical properties of shandite–parkerite phases, $A_2M_2Ch_2$, 215
Phase diagrams
coherent phase diagram of the Au_x-$(Ag_{0.24}Cu_{0.76})_{1-x}$ section of the Au–Cu–Ag ternary system, 95
effects of substitutional impurities (Fe, Cr, Ti, Mo, Nb, Zr) on the phase diagram of the V–H system, 161
investigation of the Ag–Zr phase diagram, 173
phase diagram of the BaO–CuO–Y_2O_3 system and the relationship between composition and superconductivity, 137
phase equilibria in the Mo–Ga–S system at 1073 K, 87
phase investigation in the Te–Zr equilibrium diagram, L1
phase transition in $Cu_{2-x}Se$, 195
Pnictides
ternary pnictides $MNi_{2-x}Pn_2$ (M = Sr and rare earth metals, Pn = Sb, Bi) with defect $CaBe_2Ge_2$ and defect $ThCr_2Si_2$ structures, 313
Potassium
synthesis and characterization of potassium, rubidium and ammonium tetrachlorouranate(III) tetrahydrates, 271

Quantum size effect
superconductivity by quantum size effect I: The mesoscopic ring, 11

Rare earths
crystal structure and magnetic properties of RE_2In compounds, 123
temperature dependence of hydrogen site occupancy in rare earth dihydrides, 281
X-ray, electrical, magnetic and pressure experiments on RIn (R = Y, Gd, Tb, Dy, Ho and Er), L15
X-ray examination, electrical and magnetic properties of R_3Co single crystals (R = Y, Gd, Dy and Ho), 129
Rubidium
synthesis and characterization of potassium, rubidium and ammonium tetrachlorouranate(III) tetrahydrates, 271

Selenium
crystal structure of a new phase in the Y–Se system, L29
description of the ternary system Ag–Sn–Se, 241
phase transition in $Cu_{2-x}Se$, 195

Shandite phases
synthesis and electrical properties of shandite–parkerite phases, $A_2M_2Ch_2$, 215
Silicon
diffusion characteristics of hydrogen in amorphous $Pd_{80}Si_{20}$. Part II., 337
dissolution characteristics and occupancy sites of hydrogen in amorphous PdSi alloys. Part I, 323
Silver
coherent phase diagram of the Au_x-$(Ag_{0.24}Cu_{0.76})_{1-x}$ section of the Au–Cu–Ag ternary system, 95
investigation of the Ag–Zr phase diagram, 173
stability and existence domains of Laves phase Ag_2Na, 155
Single crystal
X-ray examination, electrical and magnetic properties of R_3Co single crystals (R ≡ Y, Gd, Dy and Ho), 129
Sodium
stability and existence domains of Laves phase Ag_2Na, 155
Sulphides
phase equilibria in the Mo–Ga–S system at 1073 K, 87
Superconductivity
influence of the preparation technique on the properties of the high T_c superconductor $YBa_2Cu_3O_{7-y}$, L21
intermediate oxidation state of copper in high-temperature superconductors of the type $Y_{1-x}A_xBa_2Cu_3O_{7-z}$, L25
phase diagram of the BaO–CuO–Y_2O_3 system and the relationship between composition and superconductivity, 137
superconductivity by quantum size effect I: The mesoscopic ring, 11
Synthesis
synthesis and crystal structure of $Mn_4Nb_2O_9$ and $Mn_2Zn_2Nb_2O_9$, 79

Tantalum
oxidation of tantalum nitride by Co_2 II: powder samples, 349
triclinic modification of Ta_6S, 225
Tellurium
phase investigation in the Te–Zr equilibrium diagram, L1
Tin
description of the ternary system Ag–Sn–Se, 241
formation, structure and thermal stability of the amorphous alloy $Cu_{0.85}Sn_{0.15}$ obtained by high pressure treatment, 39
Transport properties
transport properties of some transition-metal-based amorphous alloys, L5

Uranium
synthesis and characterization of potassium, rubidium and ammonium tetrachlorouranata(III) tetrahydrates, 271

Vanadium
effects of substitutional impurities (Fe, Cr, Ti, Mo, Nb, Zr) on the phase diagram of the V–H system, 161
investigation of the Zr–V–Ge system alloys, 263
note on the crystallographic and magnetic structure of $YFe_{10}V_2$, L11

Yttrium
crystal structure of a new phase in the Y–Se system, L29
influence of the preparation techique on the properties of the high T_c superconductor $YBa_2Cu_3O_{7-y}$, L21
intermediate oxidation state of copper in high-temperature superconductors of the type $Y_{1-x}A_xBa_2Cu_3O_{7-z}$, L25
note on the crystallographic and magnetic structure of $YFe_{10}V_2$, L11
phase diagram of the BaO–CuO–Y_2O_3 system and the relationship between composition and superconductivity, 137

Zirconium
azeotropic dehydration and dehydrochlorination of $ZrOCl_2 \cdot 8H_2O$, 63
high-temperature oxidation of ZrAl, 107
influence of the growth constraints on the kinetics of oxidation of zirconi-

um by water–hydrogen gas mixtures, 361
investigation of the Ag–Cu–Zr ternary system, 7
investigation of the Ag–Zr phase diagram, 173
investigation of the Zr–V–Ge system alloys, 263
phase investigation in the Te–Zr equilibrium diagram, L1